

POLYWOOD

Assembly Instructions



20-year warranty

View our full warranty:



If you have questions or concerns regarding assembly instructions or missing parts, please contact us at



Cleaning tips

For a Quick Clean:


Simply wipe down with soap and water.

For a Deep Clean:

Wipe on $\frac{1}{3}$ bleach and $\frac{2}{3}$ water solution with a clean cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.

For a High-Power Clean:

Use a pressure power washer (not exceeding 1,500 psi) to spray off dirt and debris. Apply a $\frac{1}{3}$ bleach and $\frac{2}{3}$ water solution and scrub with a soft-bristle brush. Hose down to rinse.




VND230, VND231, VND232 Vineyard Arm Chair

TOOLS




3/8" wrench
(not included)

PARTS




A x2




2.5" Screw — HHW14X2.5


1




2




3




4




Repeat Steps 1 Thru 3
On Opposite Side



VND230



VND231



VND232

PREMIUM
POLY PATIOS



All Weather Furnishings

Model:
RT448

- (1) Table top
- (2) Leg Assemblies
- (2) Brace
- (1) Hardware pack


TOOLS NEEDED



- 3/8" Wrench
(not included)


Step 1

Attach leg assemblies to table top using (8) 2-1/2" chair bolts.



Step 2

Attach braces to leg assemblies using (4) 2-1/2" screws.



Qty.	Description
8	A - 14 X 2.50 HEX WASHER T-A ALCHM
4	B - .273 X 2.50 SOCKET WAFER A



P R E M I U M

POLY PATIOS

[View this product online at Premium Poly Patios](#)