

POLYWOOD

Assembly Instructions



20-year warranty

View our full warranty:



If you have questions or concerns regarding assembly instructions or missing parts, please contact us at



Cleaning tips

For a Quick Clean:

Simply wipe down with soap and water.

For a Deep Clean:

Wipe on $\frac{1}{3}$ bleach and $\frac{2}{3}$ water solution with a clean cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.

For a High-Power Clean:

Use a pressure power washer (not exceeding 1,500 psi) to spray off dirt and debris. Apply a $\frac{1}{3}$ bleach and $\frac{2}{3}$ water solution and scrub with a soft-bristle brush. Hose down to rinse.




**L1D84, L1R84,
L1B84**

**For Use With Rectangle
Plank Tables-PL84**

TOOLS




3/8" wrench
(not included)




4mm T-handle
hex key (included)

PARTS




Separate box

A x 8



3" Screw — HHW14X3



B x 8



3" Screw — H.27X3


1

Align each screw with a
pilot hole and partially
thread by hand before
fully tightening



If legs have
relaxed during
transit, they
may be guided
into pilot hole
alignment

2



Removable
table plug



POLYWOOD

Assembly Instructions



1. Unfold chair
2. Remove shipping caps from rear brackets

NCH38 Nautical Highback Chair

Thank You

We hope our furniture helps create a gathering place for you and your loved ones to enjoy for many years to come!



Let us know how we're doing:



Be the first to hear about new products, giveaways, and more by signing up for our



For assembly tips and videos visit:

We love to see where our furniture ends up — snap a pic and tag it on Instagram or Facebook for your chance to be featured on our social channels!



POLYWOOD was the original outdoor furniture made from recycled materials.

Learn more about our story:



20-year warranty

View our full warranty:



If you have questions or concerns regarding assembly instructions or missing parts, please contact us at



Cleaning tips

For a Quick Clean:

Simply wipe down with soap and water.

For a Deep Clean:

Wipe on $\frac{1}{3}$ bleach and $\frac{2}{3}$ water solution with a clean cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.

For a High-Power Clean:

Use a pressure power washer (not exceeding 1,500 psi) to spray off dirt and debris. Apply a $\frac{1}{3}$ bleach and $\frac{2}{3}$ water solution and scrub with a soft-bristle brush. Hose down to rinse.